

EITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES A 22 em 2 V M

Invitation to Bid

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening:

Project Address: 2109 St. John Street Call project manager for full address HNS19-02	SAFE HOME CHARLOTTE LEADSAFE CHARLOTTE
Bid Walk: 8/9/18 at 9:00 am	
Bid Opening: 9/16/18 at 2:00 pm	
Client Name: Geneal Gregory	Contact Number:
Project Manager: Chuck Hitsman	Contact Number: Office- 704-336 3495

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following: Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at <u>Charles Hitsman</u>(cell # 704-622 1685).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

above due date and time.

Company Acknowledgement:	
provisions of the housing improver through the City of Charlotte Neigh inspected the site in all particulars, he time stated and in strict accordance w and all labor and materials, and to do advised respective contractual, for the	quipment necessary for the completion of the Work shown
	Dollars (\$
Written total	
Specs Dated: 07/25/18	Number of Pages: 6
Addenda # 1 Dated: 8/10/18	Number of Pages: / 7
Addenda # 2 Dated:	Number of Pages:
Project Schedule:	Start Date -
	Completion date-
Please Print and Sign:	
Company Name/Firm:	
Authorized Representative Name:	
Signature:	Date:

 $\underline{\textit{G:}\scalebox{\sc SELECTIVE REHAB TEAM}\sc forms\scalebox{\sc bid forms and documents}\scalebox{\sc Invitation to bid WARREN}}$



CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Charles Hitsman
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 29202

PH: (704) 336 3495 Fax: (704) 336-3489



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - Scope of Work
 - o Addenda Acknowledgement
 - o Itemized Work Sheet
 - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By:
City of Charlotte Housing & Neighborhood Services
600 E. Trade Street
Charlotte, NC 28202
(704) 336-7600

Property Details							
Address:	2109 St John St.	1	Owner:	Geneal Greg	ory		
	Charlotte, NC 28216	;	Owner Phone:	Cell: (704) 53	Cell: (704) 531-8838 xOwr		
Structure Type:	Single Unit	•	Program(s):		Tested- HAS LEAD		
Square Feet:	1408			LeadSafe 20 Targeted FY		3 Funds)	
Year Built:	1933			raigotoari	10 (0000	or undo)	
Property Value:	75400						
Tax Parcel:	07505611						
Census Tract:							
Property Zone:							
Repairs						New York Committee of the Committee of t	
<u>Description</u>				Floor Room	1	Exter	ior
Portable Toilet							
Provide temporary to	oilet facilities from job star	t until approval of permanent	facilities.				
		Bid Cost:		X	=		
		Bid Cost.	Base	^Quanti	 ty	Total Cost	
Permits Required							
Permits Required The contractor is res	ponsible obtaining and pa	aying for all permits required.	Said permits s	shall include all	items in tl	his scope of work	k.
_	ponsible obtaining and pa	aying for all permits required.	Said permits s	shall include all	items in tl	his scope of work	k.
_	ponsible obtaining and pa			_x	=		k.
_	ponsible obtaining and pa			shall include all X Quanti	=	his scope of work Total Cost	k.
The contractor is res	ponsible obtaining and pa	Bid Cost:		_x	=		k.
The contractor is res See Attached Lead All work shall be perf will be obtained as a	Scope - Healthy Homes	Bid Cost: Bid Cost:	Base shall meet all a	X Quanti	= ty ng codes	Total Cost Building permit	
The contractor is res See Attached Lead All work shall be perf will be obtained as a	Scope - Healthy Homes formed in accordance wit ppropriate. Mecklenburg	Bid Cost: Bid Cost:	Base shall meet all a mits for Lead H	X Quanti	= ty ng codes	Total Cost Building permit	

Prep and Paint Porch Rails & Re-Fasten (Front)

Re-fasten to concrete. Prep and paint the porch railings per the Construction Standards.

	Dist 0 4-		v		_
	Bid Cost:	Base	_^_	Quantity	Total Cost
Prep & Paint Exterior WOOD Surfaces					
Prep and paint all exterior painted surfaces. Properly dispose a deteriorated materials. Caulk and fill all cracks, voids, holes, etc color. All work to be done in a neat & professional manner. Use	c. prior to apply	ing 25-year/	or bet	ter Low VOC	paint. Owners choice of
	Bid Cost:		_x		=
		Base		Quantity	Total Cost
Repoint Masonry Bricks - Rear kitchen Door					
Rake out existing mortar joints to a minimum depth of 1/2". Cor FINISHED WORK WILL BE CLEAN, SHARP AND PROFESSION		ortar joints to	match	existing.	
	Bid Cost:		Х		=
		Base		Quantity	Total Cost
Repair BROKEN WINDOW GLASS - Left/Rear					
Remove replacement window or window sashes as necessary replacement window to form an airtight seal and operate smoot components to match existing.					
	Bid Cost:		_x		=
		Base		Quantity	Total Cost
Cabinet Repair - Upper Window Left of Sink KITCHEN					
Attach a matching skin / panel on unfinished side of upper cabin	net.				
	Bid Cost:		х		=
	Bia 003t	Base		Quantity	Total Cost
GFCI 20 AMP KITCHEN, 2 BATHS & UTILITY RM					
KITCHEN, 1 ST STORY BATH, SECOND STORY BATH and Unstall flush mounted, ground fault circuit interrupted, duplex re			Fish v	wire and repa	ir all tear out as needed.
	Bid Cost:		х		=
		Base		Quantity	Total Cost
Electric Service 200 AMP					
Replace electrical service with new 200 amp, main disconnect, service cable, ground rods and cable. Include replacement of a					
	Bid Cost:		х		=
	_	Base		Quantity	Total Cost

LED Screw Base Bulb Installation

Replace all existing screw base (A-Type) lamps throughout the house with LED screw based omnidirectional (A-Type) lamps. Contractor to field verify quantity needed.

	Bid Cost:		_x	=	
		Base	Quan	tity	Total Cost
Install Light fixture KITCHEN					
Install a LED light fixture over kitchen sink, behind window vale	ence.				
	Bid Cost:		x	=	
	Bid Cost	Base	_^Quan	tity	Total Cost
Floor System Repair - UTILITY ROOM Healthy Homes					.,
Remove water-tank. Remove furnace or engineer a supporting	g sub-floor while	Utility Roon	n floor decay	ed joist/gird	ders/plates/wall
studs are being removed/installed. Replace any subflooring. le	evel entire room	and prep res	siliant flooring	j installatio	n.
Dispose of damaged/unsafe components of floor assembly. V plywood or tongue and groove subfloor. Include replacing all d code.					
Install resiliant flooring.					
	Bid Cost:	Paga	_X	=	T-4-1 C4
		Base	Quan	tity	Total Cost
Resilient Flooring - UTILITY ROOM Healthy Homes					
Install 25 year warrantied resilient floor covering per manufact quarter-round at all perimeters to complete installation.	urer's specificat	ions. Include	transitions a	nd painted	or stained wood
	Bid Cost:		x	=	
		Base	Quan	tity	Total Cost
Drywall replace and paint - Utility Room					
Drywall replace and paint - Utility Room Repair wall finish by removing drywall at washer box wall and All others use an adhesive mesh and mud over the mesh with					ater than one inch.
Repair wall finish by removing drywall at washer box wall and					ater than one inch.
Repair wall finish by removing drywall at washer box wall and	the appropriate			oth. Paint.	ater than one inch. Total Cost

Floor System Repair - 1st Floor Bath Healthy Homes

Remove all fixtures not built in. Dispose of damaged/unsafe components of floor assembly. Work may include installation of 2"x 8" joists hung 16" on center, plywood or tongue and groove sub-floor. Include replacing all deteriorated band joists sill, wall studs and insulating floor/wall to code.

	Bid Cost:		X	=
		Base	Quantity	Total Cost
edestal Sink - Complete 1st Story Bath				
stall a vitreous china pedestal lavatory complete withort ball type shut-off valves & escutcheon plates. All umbing Code.	•			
	Bid Cost:		x	=
		Base	Quantity	Total Cost
esilient Flooring- 1st Story Bath Healthy Homes				
emove existing floor tile. stall 25 year warrantied resilient floor covering per m uarter-round at all perimeters to complete installation				ainted or stained woo
	Did Cook		^	
	Bid Cost:	Base	Quantity	Total Cost
stall a 17" height, 2 piece, close coupled, white, vitre clude plastic or pressed wood white seat, supply pip	ous china commode wit e, shut-off valve, flap va	Base n a maximum ve and wax s	Quantity water usage per	Total Cost
stall a 17" height, 2 piece, close coupled, white, vitre clude plastic or pressed wood white seat, supply pip	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to	Base n a maximum ve and wax s i Code.	Quantity water usage perseal.	
stall a 17" height, 2 piece, close coupled, white, vitre clude plastic or pressed wood white seat, supply pip	ous china commode wit e, shut-off valve, flap va	Base n a maximum ve and wax s i Code.	Quantity water usage per	
istall a 17" height, 2 piece, close coupled, white, vitre iclude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs,subfloor, jo	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to	Base n a maximum ve and wax s Code.	Quantity n water usage perseal.	flush of 1.6 gallons.
istall a 17" height, 2 piece, close coupled, white, vitre iclude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs, subfloor, journal bars - 1st Story Bath istall 1 1/2" diameter S/S Grab Bars on 3 walls at height	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost:	Base n a maximum ve and wax s code. Base	Quantity water usage perseal. Quantity	r flush of 1.6 gallons. = Total Cost
istall a 17" height, 2 piece, close coupled, white, vitre iclude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs, subfloor, journal bars - 1st Story Bath istall 1 1/2" diameter S/S Grab Bars on 3 walls at height	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost:	Base n a maximum ve and wax s Code. Base blocking in w	Quantity water usage perseal. Quantity	r flush of 1.6 gallons. = Total Cost
stall a 17" height, 2 piece, close coupled, white, vitre clude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs, subfloor, jo rab Bars - 1st Story Bath stall 1 1/2" diameter S/S Grab Bars on 3 walls at height	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost: ght of 36" (include wood	Base n a maximum ve and wax s Code. Base blocking in w	Quantity water usage perseal. Quantity	Total Cost st hold 300 pounds).
stall a 17" height, 2 piece, close coupled, white, vitre clude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs, subfloor, journal bars - 1st Story Bath stall 1 1/2" diameter S/S Grab Bars on 3 walls at heighners choice of locations.	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost: ght of 36" (include wood	Base n a maximum ve and wax s Code. Base blocking in w	Quantity n water usage perseal. Quantity vall. Each bar mu	r flush of 1.6 gallons. = Total Cost
istall a 17" height, 2 piece, close coupled, white, vitre iclude plastic or pressed wood white seat, supply pip eplace any structural decayed wall studs, subfloor, journab Bars - 1st Story Bath istall 1 1/2" diameter S/S Grab Bars on 3 walls at heighners choice of locations.	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost: ght of 36" (include wood Bid Cost:	Base n a maximum ve and wax s code. Base blocking in w	Quantity water usage perseal. Quantity vall. Each bar mu Quantity	r flush of 1.6 gallons. Total Cost st hold 300 pounds). Total Cost
7" Height Commode Replace - 1st Story Bath install a 17" height, 2 piece, close coupled, white, vitre include plastic or pressed wood white seat, supply pip teplace any structural decayed wall studs, subfloor, journal bars - 1st Story Bath install 1 1/2" diameter S/S Grab Bars on 3 walls at heighword choice of locations. Bath Mirror - 1st Story Bath install mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high. United the stall mirror sized at the width of vanity by 36" high.	eous china commode wit e, shut-off valve, flap va ists, band,sill or girder to Bid Cost: ght of 36" (include wood Bid Cost:	Base n a maximum ve and wax s code. Base blocking in was Base	Quantity water usage perseal. Quantity vall. Each bar mu Quantity	Total Cost

Accessory Set - 3 Piece Chrome - 1st Story Bath

Install a chrome plated steel bathroom accessory set consisting of a 24" towel bar, hand towel ring, and toilet paper holder.

	Bid Cost:		X=_	
		Base	Quantity	Total Cost
1st Story Bath1st Story Bath				
 Re-locate wall supply vent. Use new boot and diverter cover. Re-locate wall switch, use new system. Replace window with DH Window, wrap exterior exposure. Remove interior window sill, apron & trim- replace all with. Remove shower head, wand, and hardware. 	with coil stock PVC product an nardware.		with 2.5 in. caseing.	
	Bid Cost:		x =	
	Dia 003t	Base	Quantity	Total Cost
Handrail - Interior Stair Case				
Re-Anchor existing metal handrail to Code.				
	Bid Cost:		x =	
		Base	Quantity	Total Cost
-Second Story				
 Install bedroom battery operated Smoke Detectors. Install hallway Smoke/CO2 Detector Hall light switch inoperable-troubleshoot. Replace hall ceilin matching ceiling lights. Replace Master bedroom light switch with standard wall sw Master bedroom, Install plug cover plates Master bedroom, replace ceiling lights 		ove homeowr	ner smoke detector wi	iring and install
	Bid Cost:		_X=_	
		Base	Quantity	Total Cost
Steel Bathtub - Floor 1 Remove and Replace with Fiberg	lass Tub			
Install a 5' white, formed fiberglass bathtub complete with slip- waste, single lever tub/shower diverter with water-saving show		e, lever opera	ated pop-up drain and	l overflow, PVC
	Bid Cost:		_X=_	
		Base	Quantity	Total Cost

Light Fixture Replace Second Story Bath

Replace or inst	all a ceiling mounte	d 2 bulb or wall mounte	d 4 bulb strip, UL approve	ed, LED light fixture with shade and la	ımps.
-----------------	----------------------	-------------------------	----------------------------	---	-------

	Bid Cost:		x			
		Base		Quantity		Total Cost
Light Fixture Replace - 1st Story Bath						
Replace or install a ceiling mounted 2 bulb or wall mounted 4	bulb strip, UL aր	proved, LE	D ligh	t fixture with	shade a	ınd lamps.
	Bid Cost:		Х		=	
	Dia 000 1	Base		Quantity		Total Cost
Dumpster Section 2017						
After procuring all required permits, place AS MANY roll-off dudebris using dust control methods. Remove dumpster and repaway daily using dump trailers.						
	Bid Cost:		_x		=	
		Base		Quantity		Total Cost
Resilient Flooring - 4 Rooms						
Install 25 year warrantied resilient floor covering per manufact quarter-round at all perimeters to complete installation. Install in first floor kitchen (125 Sq ft), living room (225 sq ft)), dining room (220 sq ft. ac	ross fr	om bath)ar	nd front	den (80 sq ft.
	Bid Cost:	Base	_^_	Quantity		Total Cost
Outstand District Civiting De Claring and Stone Deth				- -		
Custom Plumbing Fixture Re-Glazing 2nd Story Bath 'Professionally' re-glaze existing second story bath tub. Replace overflow & diverter. Remedy any rust or other damage. Properefinishing that is equal or similar to the following method: appropriate to provide a high gloss, high shine surface.	er ventilation du	ring re-glazi ng primer as	ng act	ivity must be	used.	Complete
	Bid Cost:		_X		=	
		Base		Quantity		Total Cost
Vanity/ Counter Top/ Sink - Second Story Bath						
Install new vanity cabinet complete with counter top of laminat single handled metal faucet with drain and pop-up , P- trap, su Vanity medicine cabinet/mirror to remain.						
	Bid Cost:		_x			
		Base		Quantity		Total Cost

Certification	
Contractor Name:	Total Cost:
Signature:	Date:

Internal COST ESTIMATE 2109 St John Street

Address Date

	SS	2109 St John Street			
	Date	7/12/2018	_	Cost Per	COST
Item#	Item# Feature	Method	Number Unit	Unit	
		Replace-Remove & dispose of the component. Replace component similar in size, style, and			
٠.	1 Rm 2-1; B Side Door Case	unpainted wood. Paint surrounding case lumber.			

Total Cost Estimate

Page Setup

Selective Rehab Team/Forms/Bid Forms/Led Bid Scope/Blank Jim Roy Bid Sheet

Enter Item in box B5; and scope for that item in C5; items will copy into the Bid Sheet; Sheet; allow Fit Sheet on one

্ৰীক Fit Sheet on One Page ক্ৰ Shrink the printout so that it flay on one page	Normal Margins Left 0.7" Right 0.7"	Letter (8.5" × 11") 8.5", × 11"	Portrait Orientation	No Staples	Collated 123 123 123	Print on Both Sides Filip pages on long edge.	Pages 💠 to 🔭 💠	Print Active Sheets Only print the active sheets	Settings
	•	. (. 4	•	. •			

LEAD ABATEMENT SCOPE OF WORK & INSTRUCTIONS TO BIDDERS

Address

2109 St John St.

Complete the following scope of work:

ltem#	Feature	Method	Number	Cost P ₁ COST	
1	Rm 2-1; B Side Door Case				
2					
3					
4					
5					
6					
7					
8					
9					
10					
			total		

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Lars Aamoth at 704 237 8150 if you have any questions. Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.

 In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Total Bid	\$	
Acknowledgement of Adder	nda (if any):	
Addendum#		
		Date
The undersigned contractor	agrees to perform the scope of work for the indica	ated

fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

Contractor Submitting Bid: Address:

Phone:

D Side

D Side

C Side

A Side